Literature Cited

Batiuk, R.A., Orth, R.J., Moore, K.A., Dennison, W.C., Stevenson, J.C., Staver, L.W., Carter, V., Rybicki, N.B., Hickman, R.E., Kollar, S., Bieber, S., Heasly, P. 1992. *Chesapeake Bay Submerged Aquatic Vegetation Habitat Requirements and Restoration Targets: A Technical Synthesis*. Chesapeake Bay Program, Annapolis, MD., CBP/TRS 83/92, Contract No. 68-WO-0043. 248 p.

Benoy, G.A., Kalff, J. 1999. Sediment accumulation and Pb burdens in submerged macrophyte beds. Limnology and Oceanography 44(4) 1081-1090.

Bigley, R.E. 1981. The population biology of two intertidal seagrasses, *Zostera marina* and *Ruppia maritima*, at Roberts Bank, British Columbia. Thesis, University of British Columbia, Vancouver British Columbia, Canada.

Brush, G.S., Davis, F.W. 1984. Stratigraphic evidence of human disturbance in an estuary. Quaternary Research 22:91-108.

Cabin, R.J., Marshall, D.L., Mitchell, R.J. 2000. The demographic role of soil seed banks. II. Investigations of the fate of experimental seeds of the desert mustard *Lesquerella fendleri*. Journal of Ecology 88:293-302.

Chambers, J.C., MacMahon, J.A. 1994. A day in the life of a seed: movements and fates of seeds and their implications for natural and managed systems. Annual Review of Ecology and Systematics 25:263-292.

Christiansen C, Christofferson H. Dalsgaard J, Nornberg P. 1981. Coastal nearshore

Changes correlated with dieback in eelgrass (*Zostera marina*). Sediment Geology. 28: 168-178.

Cook, R.E. 1979. Patterns of juvenile mortality and recruitment in plants. In: Solibrig, O.T., Jain, S., Johnson, G.B., Raven, P.H., editors. Topics in Plant Population Biology. New York: Columbia University Press. p 207-231.

Davis, Ryan C. and Short, Frederick T. 1997. Restoring eelgrass, Zostera marina L., habitat using a new transplanting technique: The horizontal rhizome method. Aquatic Botany 59: 1-15.

den Hartog C. 1994. The dieback of *Zostera marina* in the 1930's in the Wadden Sea: an eye witness account by A. van der Werff. Neth J Aquat Ecol. 28: 51-54.

Dennison, W.C., Albert, R.S. 1986. Photoadaptation and growth of *Zostera marina L*. (eelgrass) transplants along a depth gradient. Journal of Experimental Marine Biology and Ecology 98:265-282.

Dennison, W.C., Orth, R.J., Moore, K.A., Stevenson, J.C., Carter, V., Kollar, P.W., Bergstrom, P.W., Batiuk, R.A. 1993. Assessing water quality with submersed aquatic vegetation. BioSience 143:86-94.

Fishman, J.R., Orth, R.J. 1996. Effects of predation on *Zostera marina* seed abundance. Journal of Experimental Marine Biology Ecology 198:11-26.

Fonseca, M.S., Fisher, J.J., Zieman, J.C., Thayer. G.W. 1982. Influence of the seagrass, *Zostera marina* L., on current flow. Estuarine Coastal Shelf Science. 15:351-364.

Fonseca, M.S. 1992. Restoring seagrass in the United States. In: Thayer, G.W., editor. Restoring the nation's marine environment, Maryland Sea Grant, College Park, MD. p 79-110.

Fonseca, M.S., Kenworthy, W.J., Thayer, G. 1998. Guidelines for the conservation and restoration of seagrasses in the United States and adjacent waters. In: NOAA Coastal Ocean Office, Silver Spring, MD. 222 p.

Gacia, E., Granata, T.C., Duarte, C.M. 1999. An approach to measurement of particle flux and sediment retention within seagrass meadows. Aquatic Botany 65:255-268.

Granger, S., Traber, M., Nixon, S.W., Keyes, R. 2002. A practical guide for the use of seeds in eelgrass (Zostera marina L.) restoration. Part I. Collection, processing, and storage. Schwartz, M. (editor), Rhode Island Sea Grant, Narragansett, R.I. 20 p.

Harrison, P.G. 1987. Variations in success of eelgrass transplants over a five-year' period. Environmental Conservation 17(2):157-163.

Janzen, D.H. 1971. Seed predation by animals. Annual Review of Ecology and Systematics 2:465-492.

Kemp W.M., Boynton, W.R., Stevenson, J.C., Twilley, R.R., Means, J.C. 1983. The decline of submerged vascular plants in upper Chesapeake Bay: Summary of results concerning possible causes. Marine Technology Society Journal 17:78-89.

Luckenbach, M.L., Orth, R.J. 1999. Effects of a deposit-feeding invertebrate on the entrapment of *Zostera marina* L. seeds. Aquatic Botany 62:235-247.

Maryland Department of Natural Resources (MD-DNR). 2005. *Maryland Tributary Strategy Potomac River Basin Summary Report for 1985-2003 Data*. 61 p. [Electronic version.] Retrieved July 27, 2005 from http://dnr.maryland.gov/bay/tribstrat/basin_summary_midpot_012505.pdf

Moore, K.A., Neckles, H.A., Orth R.J. 1996. *Zostera marina* L. (eelgrass) growth and survival along a gradient of nutrients and turbidity in the lower Chesapeake Bay. Marine Ecology Progress Series 142:247-259.

Moore, K.A., Wetzel, R.L., Orth, R.J. 1997. Seasonal pulses of turbidity and their relations to eelgrass (*Zostera marina* L.) survival in an estuary. Journal of Experimental Marine Biology and Ecology 215:115-134.

Olesen, B., Sand-Jensen, K. 1994. Patch dynamics of eelgrass *Zostera marina*. Marine Ecology Progress Series 106:147-156

Olesen, B. 1999. Reproduction in Danish eelgrass (*Zostera marina L.*). Marine Ecology Progress Series 106:147-156.

Orth, R.J., Moore, K.A. 1983. Chesapeake Bay: An unprecedented decline in submerged aquatic vegetation. Science 222:51-53.

Orth, R.J., Luckenbach, M.W., Moore, K.A. 1994. Seed dispersal in a marine macrophyte: implications for colonization and restoration. Ecology 75:1927-1939.

Orth, R.J., Fishman, J.R., Harwell, M.C., Marion, S.R. 2003. Seed-density effects on germination and initial seedling establishment in eelgrass *Zostera marina* in the Chesapeake Bay region. Marine Ecology Progress Series 250:71-79.

Orth, Robert J., Bieri, Jill, Fishman, James R., Harwell, Matthew C., Marion, Scott R., and Moore, K.A. 2005. Perspectives on two decades of eelgrass (Zostera marina L.) restoration using adult plants and seeds in Chesapeake Bay and the Virginia Coastal Bays, USA. Science. 1:1-17.

Parham, T., Karrh, L. 1998. *Maryland Submerged Aquatic Vegetation Restoration Targeting System*. Final Report to National Oceanic and Atmospheric Administration. Maryland Department of Natural Resources, Annapolis, MD. 32 p.

Petticrew, E.L., Kalff, J. 1991. Predictions of surficial sediment composition in the littoral zone of lakes. Limnology and. Oceanography. 36:384-392.

Pickerell, C., Schott, S., Wyllie-Echeverria, S. 2003. Buoy-deployed seeding: A new approach to restoring seagrass using seed. In: Submerged Aquatic Vegetation Propagation Workshop; 2003 September 3-4; Baltimore, MD. http://el.erdc.usace.army.mil/sav/workshop.html

Short, F.T., A.C. Mathieson and J.I. Nelson. 1986. Recurrence of the eelgrass wasting disease at the border of New Hampshire and Maine, USA. Marine Ecology Progress Series 29:89-92.

Short, Frederick T. and Burdick, David M. 1996. Quantifying Eelgrass Habitat Loss in Relation to Housing Development and Nitrogen Loading in Waquoit Bay, Massachusetts. Estuaries 19: 730-739.

Short, Frederick T. and C. A. Short. 1984. The seagrass filter: purification of coastal water. In V.S. Kennedy (ed) The Estuary as a Filter. Academic Press. 395-413.

Short, Frederick T. and Wyllie-Echeverria, Sandy. 1996. Natural and human induced disturbance of seagrasses. Environmental Conservation. 23: 17-27.

Silberhorn, G.M., Orth, R.J., Moore, K.A. 1983. Anthesis and seed production in *Zostera marina* L. (eelgrass) from the Chesapeake Bay. Aquatic Biology 15:133-144.

Stankelis, R.M., Naylor, M.D., Boynton, W.R. 2003. Submerged aquatic vegetation in the mesohaline region of the Patuxent estuary: Past, present, and future status. Estuaries 26:186-195.

Thayer, Gordon W., Karen A. Bjorndal, John C. Ogden, Susan L. Williams, Joseph C. Zieman. 1984. Role of Larger Herbivores in Seagrass Communities. Estuaries.7: 351-376.

Twilley, R.R., Kemp, W.M., Staver, K.W., Stevenson, J.C., Boynton, W.R. 1985. Nutrient enriched of estuarine submerged vascular plant communities. 1. Algal growth and effects on production of plants and associated communities. Marine Ecology Progress Series 23:179-191.

Ward. Larry G., Kemp, W. Michael and Boynton, Walter R. 1984. The influence of waves and seagrass communities on suspended particulates in an estuarine embayment. Marine Geology 59: 85-103

Wassenberg, T.J. 1990. Seasonal feeding on *Zostera capricorni* seeds by juvenile *Peneaus esculentus* (Crustacea: Decapoda) in Moreton Bay, Queensland. Australian Journal of Marine and Freshwater Research 41:301-310.

Wetzel, R.G., and Hough, R.A. 1973. Productivity and role of aquatic macrophytes in lakes: An assessment. Polish Archives of Hydrobiology 20:9-19.

Wetzel, R.G., Penhale, P.A. 1983. Production ecology of seagrass communities in the lower Chesapeake Bay. Marine Technology Society Journal 17:22-31.